



## Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 8/2/2018

Revision date: 6/17/2019

Supersedes: 8/2/2018

Version: 2.0

www.ardex.de

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
 Product name : Pandomo W3 2.0  
 Product code : 30661

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Construction materials  
 Industrial/Professional use spec : For professional use only  
 Use of the substance/mixture : PANDOMO  
 Wall Smoothing Compounds

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

ARDEX GmbH  
 Friedrich-Ebert-Strasse 45  
 D-58453 Witten-Annen - Germany  
 T 0049 (0)2302/664-0 - F 0049 (0)2302/664-355  
[sicherheitsdatenblatt@ardex.de](mailto:sicherheitsdatenblatt@ardex.de) - [www.ardex.de](http://www.ardex.de)  
 E-mail address of competent person responsible for the SDS : [sicherheitsdatenblatt@ardex.de](mailto:sicherheitsdatenblatt@ardex.de)

#### 1.4. Emergency telephone number

| Country | Organisation/Company              | Address                             | Emergency number  | Comment  |
|---------|-----------------------------------|-------------------------------------|-------------------|--|
| Germany | Vergiftungs-Informations-Zentrale | Mathildenstraße 1<br>79106 Freiburg | +49 (0) 761 19240 | For medical information in German and English language |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, H319  
 Category 2

Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning  
 Hazardous ingredients : Portland cement  
 Hazard statements (CLP) : H319 - Causes serious eye irritation.  
 Precautionary statements (CLP) : P102 - Keep out of reach of children.  
 P261 - Avoid breathing dust.  
 P280 - Wear eye protection, protective gloves.  
 P302+P352 - IF ON SKIN: Wash with plenty of soap and water.  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

# Pandomo W3 2.0

## Safety Data Sheet

according to Regulation (EU) 2015/830

Extra phrases : contact lenses, if present and easy to do. Continue rinsing.  
: Dispose of contents/container in accordance with regional/national/international/local regulations.

### 2.3. Other hazards

Other hazards not contributing to the classification : The product contains chromate reducer, whereby the content of water-soluble chromium (VI) is less than 0.0002%.  
With proper storage (dry) and consumption within the specified storage time, a sensitizing effect of the cement / binder by contact with skin cannot occur (H317 or EUH203 can therefore be omitted).

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name            | Product identifier                         | %      | Classification according to Regulation (EC) No. 1272/2008 [CLP]                  |
|-----------------|--|--------|--|
| calcium sulfate | (CAS-No.) 7778-18-9<br>(EC-No.) 231-900-3  | 5 - 30 | Not classified   |
| Portland cement | (CAS-No.) 65997-15-1<br>(EC-No.) 266-043-4 | 1 - 3  | Skin Sens. 1, H317<br>Eye Dam. 1, H318<br>Skin Irrit. 2, H315<br>STOT SE 3, H335 |

Comments : Chromium (VI) compounds < 2 ppm

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get medical advice/attention if you feel unwell.

First-aid measures after ingestion : Rinse mouth. Give nothing or a little water to drink. Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Severe eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Non flammable.

Unsuitable extinguishing media : None.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : None.

Reactivity in case of fire : None.

Hazardous decomposition products in case of fire : None.

### 5.3. Advice for firefighters

Precautionary measures fire : No specific measures are necessary.

Firefighting instructions : Contain the extinguishing fluids by bunding. Do not allow run-off from fire-fighting to enter drains or water courses.

Protection during firefighting : Ensure that firefighters are protected.

# Pandomo W3 2.0

## Safety Data Sheet

according to Regulation (EU) 2015/830

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Spilled material may present a slipping hazard.

##### 6.1.1. For non-emergency personnel

Protective equipment : See Heading 7.  
Emergency procedures : Ventilate spillage area.  
Measures in case of dust release : Avoid dust formation.

##### 6.1.2. For emergency responders

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : No specific measures are necessary.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.  
Methods for cleaning up : Mechanically recover the product. On land, sweep or shovel into suitable containers.  
Other information : Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : See Heading 8.  
Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Avoid dust formation.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.  
Storage conditions : Keep only in original container. Store in a dry place.  
Incompatible materials : None.  
Storage area : dry.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

| Pandomo W3 2.0              |   |   |
|-----------------------------|---|---|
| Germany                     | TRGS 900 Local name   | Allgemeiner Staubgrenzwert - Alveolengängige/Einatembare Fraktion |
| Germany                     | TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> ) | 1.25 mg/m <sup>3</sup> (A)<br>10 mg/m <sup>3</sup> (E)            |
| Germany                     | TRGS 900 Remark   | AGS;DFG   |
| calcium sulfate (7778-18-9) |   |   |
| Germany                     | TRGS 900 Local name   | Calciumsulfat   |
| Germany                     | TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> ) | 6 mg/m <sup>3</sup> (A)   |
| Germany                     | TRGS 900 Remark   | DFG   |

#### 8.2. Exposure controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

##### Personal protective equipment:

Respiratory protection not required in normal conditions. In case of splash hazard: safety glasses. Dust formation: dust mask.

##### Hand protection:

Protective gloves

##### Eye protection:

# Pandomo W3 2.0

## Safety Data Sheet

according to Regulation (EU) 2015/830

In case of dust production: protective goggles

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In case of inadequate ventilation wear respiratory protection.



### Environmental exposure controls:

Avoid release to the environment.

### Other information:

Use care during processing to minimize generation of dust. Avoid creating or spreading dust.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |                                |
|--|--------------------------------|
| Physical state                             | : Solid                        |
| Appearance                                 | : Powder.                      |
| Colour                                     | : white.                       |
| Odour                                      | : odourless.                   |
| Odour threshold                            | : No data available            |
| pH   | : 8 - 9                        |
| Relative evaporation rate (butylacetate=1) | : No data available            |
| Melting point                              | : > 1250 °C                    |
| Freezing point                             | : Not applicable               |
| Boiling point                              | : Not applicable               |
| Flash point                                | : Not applicable               |
| Auto-ignition temperature                  | : Not applicable               |
| Decomposition temperature                  | : No data available            |
| Flammability (solid, gas)                  | : Non flammable.               |
| Vapour pressure                            | : No data available            |
| Relative vapour density at 20 °C           | : No data available            |
| Relative density                           | : Not applicable               |
| Density                                    | : 2.75 - 3.2 g/cm <sup>3</sup> |
| Solubility                                 | : Water: 0.1 - 1.5 g/l @ 20°C  |
| Log Pow                                    | : No data available            |
| Viscosity, kinematic                       | : Not applicable               |
| Viscosity, dynamic                         | : Not applicable               |
| Explosive properties                       | : None.                        |
| Oxidising properties                       | : None.                        |
| Explosive limits                           | : Not applicable               |

### 9.2. Other information

|              |                                |
|--------------|--------------------------------|
| VOC content  | : < 3 %                        |
| Bulk density | : 900 - 1100 kg/m <sup>3</sup> |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available about this product.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

No available data.

# Pandomo W3 2.0

## Safety Data Sheet

according to Regulation (EU) 2015/830

### 10.5. Incompatible materials

No data available.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

| calcium sulfate (7778-18-9) |   |
|-----------------------------|---|
| LD50 oral rat               | > 1584 mg/kg bodyweight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral) |
| LC50 inhalation rat (mg/l)  | > 2.61 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust))     |

Skin corrosion/irritation : Not classified

pH: 8 - 9

Serious eye damage/irritation : Causes serious eye irritation.

pH: 8 - 9

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and symptoms : Irritation: severely irritant to eyes.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

| calcium sulfate (7778-18-9) |                                       |
|-----------------------------|---------------------------------------|
| LC50 fish 1                 | 2980 mg/l (96 h, Lepomis macrochirus) |

  

| Portland cement (65997-15-1) |                            |
|------------------------------|----------------------------|
| LC50 fish 1                  | > 1000 mg/l (96 h, Pisces) |

### 12.2. Persistence and degradability

| Pandomo W3 2.0                |                 |
|-------------------------------|-----------------|
| Persistence and degradability | Not applicable. |
| BOD (% of ThOD)               | Not applicable  |

  

| calcium sulfate (7778-18-9)   |                                   |
|-------------------------------|-----------------------------------|
| Persistence and degradability | Biodegradability: not applicable. |
| Chemical oxygen demand (COD)  | Not applicable                    |
| ThOD                          | Not applicable                    |
| BOD (% of ThOD)               | Not applicable                    |

  

| Portland cement (65997-15-1)  |                                   |
|-------------------------------|-----------------------------------|
| Persistence and degradability | Biodegradability: not applicable. |
| Chemical oxygen demand (COD)  | Not applicable                    |
| ThOD                          | Not applicable                    |
| BOD (% of ThOD)               | Not applicable                    |

### 12.3. Bioaccumulative potential

| Pandomo W3 2.0            |                     |
|---------------------------|---------------------|
| Bioaccumulative potential | No bioaccumulation. |

  

| calcium sulfate (7778-18-9) |                                    |
|-----------------------------|------------------------------------|
| Bioaccumulative potential   | No bioaccumulation data available. |

  

| Portland cement (65997-15-1) |                                  |
|------------------------------|----------------------------------|
| Bioaccumulative potential    | Bioaccumulation: not applicable. |

# Pandomo W3 2.0

## Safety Data Sheet

according to Regulation (EU) 2015/830

### 12.4. Mobility in soil

| Pandomo W3 2.0               |   |
|------------------------------|---|
| Ecology - soil               | No information available.                             |
| Portland cement (65997-15-1) |   |
| Ecology - soil               | No (test)data on mobility of the substance available. |

### 12.5. Results of PBT and vPvB assessment

| Pandomo W3 2.0   |   |
|--|---|
| This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII  |   |
| This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |   |
| Component  |   |
| Portland cement (65997-15-1)   | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

### 12.6. Other adverse effects

Other adverse effects : None.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|  |   |
|--|---|
| Regional legislation (waste)               | : Disposal must be done according to official regulations.  |
| Waste treatment methods                    | : Dispose of contents/container in accordance with licensed collector's sorting instructions.   |
| Product/Packaging disposal recommendations | : Refer to manufacturer/supplier for information on recovery/recycling. Empty remaining contents. Entrust the thoroughly decontaminated packaging to a licensed waste-contractor. |
| Ecology - waste materials                  | : Avoid release to the environment.   |
| European List of Waste (LoW) code          | : 17 09 04 - mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03   |

## SECTION 14: Transport information

In accordance with ADR / IATA / IMDG

| ADR                                    | IMDG           | IATA           |
|--|----------------|----------------|
| 14.1. UN number                        |                |                |
| Not applicable                         | Not applicable | Not applicable |
| 14.2. UN proper shipping name          |                |                |
| Not applicable                         | Not applicable | Not applicable |
| Not applicable                         | Not applicable | Not applicable |
| 14.3. Transport hazard class(es)       |                |                |
| Not applicable                         | Not applicable | Not applicable |
| Not applicable                         | Not applicable | Not applicable |
| 14.4. Packing group                    |                |                |
| Not applicable                         | Not applicable | Not applicable |
| 14.5. Environmental hazards            |                |                |
| Not applicable                         | Not applicable | Not applicable |
| No supplementary information available |                |                |

### 14.6. Special precautions for user

#### - Overland transport

Not applicable

#### - Transport by sea

Not applicable

#### - Air transport

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

# Pandomo W3 2.0

## Safety Data Sheet

according to Regulation (EU) 2015/830

|  |  |
|--|--|
| VOC content  | : < 3 %  |
| Other information, restriction and prohibition regulations | : 1. Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement.<br><br>2. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1.<br><br>3. By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for, and use in, controlled closed and totally automated processes in which cement and cement-containing mixtures are handled solely by machines and in which there is no possibility of contact with the skin.<br><br>4. The standard adopted by the European Committee for Standardization (CEN) for testing the water-soluble chromium (VI) content of cement and cement-containing mixtures shall be used as the test method for demonstrating conformity with paragraph 1.<br><br>5. Leather articles coming into contact with the skin shall not be placed on the market where they contain chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of the leather.<br><br>6. Articles containing leather parts coming into contact with the skin shall not be placed on the market where any of those leather parts contains chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of that leather part.<br><br>7. Paragraphs 5 and 6 shall not apply to the placing on the market of second-hand articles which were in end-use in the Union before 1 May 2015. |

### 15.1.2. National regulations

#### Germany

|  |  |
|--|--|
| Reference to AwSV  | : Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)  |
| Storage class (LGK)  | : LGK 13 - Non-combustible solids  |
| 12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV | : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)   |
| GISCODE  | : ZP1 - Products containing cement, low in chromate  |
| GEV - EMICODE  | : EC 1 R PLUS  |
| TA Luft  | : 5.2.1 Total Dust, including Micro Dust   |
| Other information, restrictions and prohibition regulations                | : TRGS 402: Identification and Assessment of the Risks from Activities involving Hazardous Substances: Inhalation Exposure<br>TRGS 510: Storage of hazardous substances in non-stationary containers<br>TRGS 900: Occupational Exposure Limits |

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Full text of H- and EUH-statements:

|               |  |
|---------------|--|
| Eye Dam. 1    | Serious eye damage/eye irritation, Category 1  |
| Eye Irrit. 2  | Serious eye damage/eye irritation, Category 2  |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2  |
| Skin Sens. 1  | Skin sensitisation, Category 1   |
| STOT SE 3     | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H315          | Causes skin irritation.  |
| H317          | May cause an allergic skin reaction.   |
| H318          | Causes serious eye damage.   |
| H319          | Causes serious eye irritation.   |
| H335          | May cause respiratory irritation.  |

# Pandomo W3 2.0

## Safety Data Sheet

according to Regulation (EU) 2015/830

---

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*